Ura

Shower enclosure collection





Shower enclosure collection

A wide array of models for an enclosure with a minimalistic design adaptable to any space, with added functionalities that guarantee enhanced durability.

DOOR RELEASE SYSTEM

It features a mechanism that releases the doors' lower fastenings to facilitate cleaning between glasses.

DUAL INSTALLATION

It offers two types of installation: with drill or by means of adhesive to avoid drilling holes in the wall.



EASY TO INSTALL

Its assembly kit includes all elements of the enclosure, perfectly organized in the same order to be followed for a quick and easy installation.



INCREASED WATERTIGHTNESS

Its design, featuring a lower profile, provides the enclosure with a high level of watertightness, avoiding water leaks.



GREATER FIRMNESS

The upper profile, with increased thickness, provides strength and stability to the enclosure, making it possible to support different doors, regardless of their weight.

ADJUSTABLE

Its compact compensation system allows the adjustment of the enclosure to the existing conditions, without having to increase the width of the profile.

EASY CLEANING

Its exclusive Maxiclean® treatment repels water and prevents lime and dirt from building up on the glass.



MAXICLEAN

REVERSIBLE

Its design, featuring a lower profile, provides the enclosure with a high level of watertightness, avoiding water leaks.



ENHANCED SAFETY

The entire collection features 6 mm tempered glass (in compliance with the European norm EN:14428), which, in case of breakage, disintegrates into small fragments with rounded edges, thus guaranteeing maximum safety in the event of an accident.

Visual map of the collection




Ura DF

Fixed panel for shower Height 1950 mm.

DF (A)

AM16910012M 1000 mm AM16912012M 1200 mm AM16914012M 1400 mm

+|+6 mm



Ura L2-E

Front shower enclosure with 1 sliding door + 1 fixed panel. Height 1950 mm.

L2-E (A)

AM16210012M 1000 mm AM16211012M 1100 mm AM16212012M 1200 mm AM16213012M 1300 mm AM16214012M 1400 mm AM16215012M 1500 mm AM16216012M 1600 mm

+|+6





Ura L4-E

Front shower enclosure with 2 sliding doors + 2 fixed panels. Height 1950 mm.

L4-E (A)

AM16316012M 1600 mm AM16317012M 1700 mm AM16318012M 1800 mm AM16319012M 1900 mm AM16320012M 2000 mm

+ 6 mm





Ura LF

Side panel for shower. Height 1950 mm.

LF (A)

AM16807012M 700 mm AM16807512M 750 mm AM16808012M 800 mm AM16809012M 900 mm

+6







Ura L2

Lateral shower enclosure with 2 sliding doors + 2 fixed panels. Height 1950 mm.

L2 (A)

AM16507012M 700 mm AM16507512M 750 mm AM16508012M 800 mm AM16509012M 900 mm AM16510012M 1000 mm AM16512012M 1200 mm







Ura MR

Quadrant shower enclosure with 2 sliding doors + 2 fixed panels. Height 1950 mm.

MR (A)

AM16608012M 800 mm (R.500) **AM16609012M** 900 mm (R.500)









Ura PE

Frontal swing door. Height 1950 mm.

PE (A)

AM16708012M 800 mm **AM16709012M** 900 mm **AM16710012M** 1000 mm







Ura LF-C

Side panel for shower. Height 1950 mm.

LF-C (A)

AM16407012M 700 mm AM16407512M 750 mm AM16408012M 800 mm AM16409012M 900 mm










The **Ura** shower enclosure collection has the following communication materials.

ONLINE CATALOGUE



CATALOGUE















Maxiclean® treatment

Maxiclean® is an invisible treatment especially designed to modify the molecular structure of the surface of the enclosure's inner glass, which makes it possible to repel water and prevent the persistent buildup of lime, salts and dirt.

A glass with **Maxiclean®** keeps the same qualities of transparency and brilliance as any other glass, making cleaning easier and ensuring its perfect condition over time.

WITHOUT MAXICLEAN

Lime, salts and dirt build up on the inner surface of the glass leading to the adherence of a multitude of drops.

WITH MAXICLEAN

The inner glass repels water, thus avoiding the persistent buildup of lime, salts and dirt.

